

# TruckMaster®



LEADING  
CHANGE

## PORTABLE DIESEL STORAGE AND DISPENSING SOLUTIONS

AVAILABLE FROM 200-900 LITRES





# BUILT ON LEADERSHIP



**WORLD LEADER**  
in Diesel Storage and  
Dispensing Solutions

## Energy Storage Solutions

Kingspan Titan is an Energy Storage Solutions provider whose mission is to preserve and protect the environment by providing safe and absolute containment of expensive and harmful liquids.

Operating in over 90 countries, we offer a global distribution network of experienced sales and technical teams who provide a full range of focused customer service - including delivery scheduling, consultancy and installation guidance. Kingspan Titan also gives you the confidence of support over the lifetime of your product and beyond.

More than that, we power businesses and lives through total peace of mind.

## Kingspan Titan

For over 40 years, Kingspan Titan has designed and manufactured innovative ways to store, dispense and protect AdBlue®, diesel and oil. We pioneered the world's first environmentally responsible bunded tank, leading change in our sector, and setting industry standards around the world.

As established global market leaders, our diverse range of innovative and environmentally responsible steel and plastic storage solutions offer dispensing and management systems in capacities ranging from 200 to 100,000 litres - ideal for a wide variety of industrial, agricultural, road haulage, mining, manufacturing, and construction applications.





# TruckMaster®

## **Kingspan Titan TruckMaster®**

The Kingspan Titan TruckMaster range has been specifically designed for the safe transportation of diesel fuel. Whether you are in the Agricultural, Construction or Forestry sector the lightweight, robust, portable TruckMaster offers users the ultimate convenience by allowing them to refuel remotely on-site.

Available in four capacities from 200-900 litres, the TruckMaster is built from high quality polyethylene providing resistance to structural damage, changing weather conditions and UV radiation. It also offers a range of dispensing equipment options for almost any type of user.

## **ADR Approved**

The 430 and 900 litre TruckMaster has been tested to meet the requirements of the European Agreement (ADR) for the international Carriage of Dangerous Goods by Road. TruckMaster 200 and 300 litres do not require ADR approval under ADR exemption 1.13.1 c. due to their smaller capacity.

The Kingspan Titan TruckMaster range offers a quality, cost saving and compliant solution backed by excellent technical and customer service support for total peace of mind.

## QUALITY

- › Robust and resilient product design. With over 40 years' experience delivering high performing products worldwide, you know you can trust a Kingspan Titan TruckMaster.

## SAVINGS

- › Lightweight and portable storage solution means a faster and safer delivery of diesel fuel to any point of use, saving you valuable time and money.

## SAFETY

- › On-site safety is assured as fuels can be transported without the requirement of heavy steel drums or jerry cans, which are liable to spill.

DISPATCHED  
WITHIN

**3**  
**DAYS\***

\* Selected models only.

TruckMaster®

# CONVENIENT REFUELLING FOR YOUR MACHINERY

## EASY TO TRANSPORT

TRUCKMASTER UNITS FIT ONTO  
THE BACK OF SMALL TRUCKS  
AND CAN BE SECURED EASILY TO  
STANDARD FLATBED VEHICLES

TRANSPORT



CONSTRUCTION



AGRICULTURE



## ENVIRONMENTALLY RESPONSIBLE

The TruckMaster meets all international diesel transportation standards and ADR approvals ensuring the safe containment of your fuel whilst protecting the environment.



# KEY BENEFITS

## GO ANYWHERE

The TruckMaster gives fuel delivery a new mobility. With the efficiency of an oil tank in miniature, it reaches places a tanker cannot go. Rough land, building sites, narrow access points and farms offer no problem to a TruckMaster.



## IMPORTANT DESIGN FEATURES

The TruckMaster can be easily lifted with its specifically designed lifting eyes or by using a forklift. Additionally, the unique internal baffle wall minimises fuel spillage when the TruckMaster is in transit and all necessary fittings are stored neatly under the lockable lid.



## RELIABILITY

The TruckMaster comes with a 5 year guarantee and 1 year on equipment - all supported by localised customer service. We give you the confidence and support over the lifetime of your product and beyond.



## NEW MODELS FOR EFFICIENT TRANSPORTATION AND DELIVERY

The new TruckMaster 200 and 300 litres occupy only half a euro pallet for more economical distribution and reduced delivery costs.




Compact for  
Euro pallet delivery



## ENVIRONMENTAL PROTECTION

The specially designed area under the lockable lid houses the TruckMaster equipment in a secure leak-proof area. This eliminates the risk of dripping fuel often encountered by an external retrofitted nozzle and hose.





# MODEL SELECTOR

CAPACITIES FROM 200-900 LITRE



## TM 200



CAPACITY	LENGTH	WIDTH	HEIGHT
200 Litres	600 mm	800 mm	620 mm

## TM 300



CAPACITY	LENGTH	WIDTH	HEIGHT
300 Litres	600 mm	800 mm	890 mm

## TM 430



CAPACITY	LENGTH	WIDTH	HEIGHT
430 Litres	1180 mm	860 mm	910 mm

## TM 900



CAPACITY	LENGTH	WIDTH	HEIGHT
900 Litres	1410 mm	1050 mm	1210 mm

# SPECIFICATION SELECTOR

DESCRIPTION / CAPACITY	TM200	TM300	TM430	TM900
Level gauge			●	●
Ball valve on suction line			●	●
Suction line with mesh filter	●	●	●	●
12 V DC pump (max. flow rate 50 l/min)	●	●	●	●
6 m power cable with battery clamps	●	●	●	●
4 m flexible delivery hose			●	●
3,7 m flexible delivery hose	●	●		
Automatic nozzle	●	●	●	●
Lid with integrated lock			●	●
Lid with separate lock (lock not provided)	●	●		
Vacuum and pressure relief valve (VENT)	●	●	●	●
Lid with support gas struts				
4 lifting shackles			●	●
Battery powered LED lamp			●	●
24 V DC pump (max. flow rate 50 l/min)				
12/24 DC pump (max. flow rate 70/35 l/min)				
12 V DC pump (max. flow rate 85 l/min)				
230 V AC pump (max. flow rate 56 l/min)				
Digital flowmeter fixed to the nozzle				
Digital flowmeter fixed to the pump				

● Standard accessories.  
○ Optional accessories.



**TruckMaster® 300 L**



**TruckMaster® 430 L**

**Equipment specification:**

- |                     |                  |                        |
|---------------------|------------------|------------------------|
| 1. Tank             | 4. Vent          | 7. Shackles**          |
| 2. Pump             | 5. Delivery hose | 8. 4" Inspection lid** |
| 3. Automatic nozzle | 6. Lockable lid* | 9. Filling offset**    |

\* Lid with integrated lock (TM200, TM430 and TM900)  
TM200 & TM300 can be locked with the padlock (padlock not provided)  
\*\* Only available on certain models.

# TruckMaster®



**Global Head Office:**

Kingspan Environmental Ltd  
180 Gilford Road  
Portadown | Co. Armagh | BT63 5LF  
United Kingdom

Tel.: +44 (0) 28 3836 4444  
titan@kingspan.com  
www.kingspantitan.com

**European Office:**

Kingspan Environmental Sp. z o.o.  
ul. Topolowa 5 | 62-090 Rokietnica  
Polska

Tel.: +48 61 814 44 00  
Fax: +48 61 814 54 99  
titanpl@kingspan.com  
www.kingspantitan.com/pl



We warrant and declare that the information contained herein is current at the time of publication.  
Due to continuous improvement of products the information herein is subject to change without notice.

Kingspan Titan - TruckMaster® - English export version - October 2016.